

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|---|----------------------|----------------------|---------------------|---------------------------------------|
| 09/595,778 | 06/16/2000 | Michael Grimbergen | AMAT/2077.D1 | 6490 |
| 61285 7590 03/09/2007 JANAH & ASSOCIATES, P.C. | | | EXAMINER | |
| 650 DELANCE | EY STREET, SUITE 10 | 06 | OLSEN, ALLAN W | |
| SAN FRANCIS | SCO, CA 94107 | | ART UNIT | PAPER NUMBER |
| | | | 1763 | |
| | | · | | · · · · · · · · · · · · · · · · · · · |
| SHORTENED STATUTOR | Y PERIOD OF RESPONSE | MAIL DATE | DELIVERY MODE | |
| 3 MONTHS | | 03/09/2007 | PAPER | |

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

| | | | N | | | |
|--|--|--|---|--|--|--|
| | | Application No. | Applicant(s) | | | |
| Office Action Summary | | 09/595,778 | GRIMBERGEN ET AL. | | | |
| | | Examiner | Art Unit | | | |
| | | Allan Olsen | 1763 | | | |
| Period fo | The MAILING DATE of this communication app r Reply | pears on the cover sheet wi | th the correspondence address | | | |
| WHIC - Exten after 9 - If NO - Failur Any re | DRTENED STATUTORY PERIOD FOR REPLY HEVER IS LONGER, FROM THE MAILING DOWNS of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. Period for reply is specified above, the maximum statutory period be to reply within the set or extended period for reply will, by statute eply received by the Office later than three months after the mailing dipatent term adjustment. See 37 CFR 1.704(b). | ATE OF THIS COMMUNIC 36(a). In no event, however, may a re will apply and will expire SIX (6) MON e, cause the application to become AB. | CATION. cply be timely filed IHS from the mailing date of this communication. ANDONED (35 U.S.C. § 133). | | | |
| Status | | | | | | |
| .1)⊠ | Responsive to communication(s) filed on 18 C | october 2006. | | | | |
| 2a) | This action is FINAL . 2b)⊠ This action is non-final. | | | | | |
| • | Since this application is in condition for allowance except for formal matters, prosecution as to the merits is | | | | | |
| | closed in accordance with the practice under E | Ex parte Quayle, 1935 C.D. | . 11, 453 O.G. 213. | | | |
| Dispositi | on of Claims | | | | | |
| 4)⊠ | Claim(s) 1-10,12-22,24,25,33-45,56-86 and 89 | g is/are pending in the appl | ication. | | | |
| | 4a) Of the above claim(s) is/are withdra | | | | | |
| 5) | Claim(s) is/are allowed. | | | | | |
| 6)⊠ |)⊠ Claim(s) <u>1-10,12-22,24,25,33-45,56-86 and 89</u> is/are rejected. | | | | | |
| 7) | Claim(s) is/are objected to. | | | | | |
| 8) | Claim(s) are subject to restriction and/o | or election requirement. | | | | |
| Application | on Papers | | | | | |
| 9) 🗀 - | The specification is objected to by the Examine | er. | | | | |
| 10) | The drawing(s) filed on is/are: a)☐ acc | epted or b) objected to be | by the Examiner. | | | |
| | Applicant may not request that any objection to the | drawing(s) be held in abeyan | ce. See 37 CFR 1.85(a). | | | |
| | Replacement drawing sheet(s) including the correct | tion is required if the drawing(| s) is objected to. See 37 CFR 1.121(d). | | | |
| 11) 🔲 - | The oath or declaration is objected to by the Ex | xaminer. Note the attached | Office Action or form PTO-152. | | | |
| Priority u | nder 35 U.S.C. § 119 | | | | | |
| _ | Acknowledgment is made of a claim for foreign ☐ All b) | priority under 35 U.S.C. § | 119(a)-(d) or (f). | | | |
| | 1. Certified copies of the priority documents have been received. | | | | | |
| | 2. Certified copies of the priority documents have been received in Application No | | | | | |
| | 3. Copies of the certified copies of the prior | · | received in this National Stage | | | |
| | application from the International Burea | | | | | |
| * See the attached detailed Office action for a list of the certified copies not received. | | | | | | |
| | | | | | | |
| A44 - 1 | | | | | | |
| Attachment | c(s) e of References Cited (PTO-892) | 4) 🖂 Intentions S | ummary (PTO-413) | | | |
| 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date. | | | | | | |
| | nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) No(s)/Mail Date | 5) Notice of Ir 6) Other: | formal Patent Application (PTO-152) — | | | |

Art Unit: 1763

DETAILED ACTION

Allowable Subject Matter

The indicated allowability of claims 1-10,12-22, 24, 25, 33-43, 57-59, 61-63, 65-67, 69-71, 73-75, 77-79 and 81-83 is withdrawn in view of the newly discovered references to Chiu and Satoh. Rejections based on the newly cited references follow.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-7, 10, 12-22, 33-45, 56-86 and 89 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 5,985,092 issued to Chiu et al. (hereinafter, Chiu) in view of U.S. Patent 5,961,850 issued to Satou et al. (hereinafter, Satou).

Chiu teaches monitoring ICP plasma etching processes with an optical fiber inserted between the coils of the inductive plasma source antenna. Chiu teaches energizing a plasma gas by applying an RF current through a multi-turn antenna above an external surface of a wall of the process chamber to pass RF energy through the external surface of the wall of the process chamber to couple the RF energy to the gas inside the process chamber to energize the gas; detecting radiation from directly above the surface of the substrate after the radiation propagates through the wall and the external surface of the process chamber; and evaluating the detected radiation to monitor the depth of a layer being processed on the substrate.

Art Unit: 1763

The following excerpts are some the most relevant passages of Chiu.

Column 2, lines 10-17

Ellipsometric measurements are used to detect the thickness of films deposited onto workpieces and might be used to monitor the etching of thin, relatively uniform films. Reflectance measurements including reflectance spectroscopy can be used to detect the presence or absence of a film on the surface of a workpiece and so might be used for detecting the deposition of a film or removal of a film in an etching process. Each of these techniques could be used in an endpoint detection system

Column 2, lines 28-50

While some of the processing chamber walls are formed from transparent materials such as quartz, it may be necessary to provide transparent windows through the chamber walls when optical monitoring is to be performed through walls that are not transparent. It may also be necessary to provide an optical path or viewing port through structures that are provided around the processing chamber. For example, in some plasma etching systems, the etching chamber is contained within electrical coils that are used for applying either a radio frequency (RF) electric field or a magnetic field to the interior of the etching chamber. An example of such a system is the Hitachi 308-ATE ECR Metal Etcher, which provides coils formed of hollow copper tubing around the quartz walls of the etching chamber. The copper coils are provided around the etching chamber to provide an RF field to the interior of the chamber, and completely surround parts of the chamber walls. To implement an endpoint detection system for this metal etcher, it is most convenient to provide an optical fiber through the coils to a fixed position adjacent the quartz chamber wall so that the fiber images at least a portion of the etching chamber. Sensing operations can then be performed through the optical fiber to facilitate operation of an endpoint detection system.

Column 2, lines 59-63

An outer chamber having an outer chamber wall at least partially encloses the etching chamber and has an optical access port provided in the outer chamber wall. The optical access port includes a mounting structure for holding an optical element in fixed relationship to the inner chamber wall and the outer chamber wall.

Column 3, lines 46-50

A particularly useful configuration of an endpoint detection system includes an optical fiber that images a portion of the etching chamber and acts as an optical probe for monitoring the etching process.

Art Unit: 1763

Column 4, lines 5-12

The optical fiber probe of the endpoint detection system passes through the containment wall and the end of the optical fiber is held in a fixed position adjacent the wall of the etching chamber by a mounting system attached to the containment system wall. Generally, a sleeve is provided around the optical fiber which passes through the containment walls and between the coils to protect the fiber from the coils. Many times, the entire length of the optical fiber is enclosed within a sleeve.

Column 5, lines 50-61

The end of the optical fiber 26 is positioned so that the optical fiber images a portion of the etching chamber, typically above the surface of wafer 16. It may be desirable to provide a lens or other optical elements in association with the end of the optical fiber to collect light to improve the efficiency of the endpoint detection system. Such optical elements would typically be mounted on the inner containment wall 20. The optical signal collected through the etching chamber wall 12 from the interior 10 of the etching chamber passes through the optical fiber 26 and is provided to optical detectors and signal processing circuitry within the endpoint detection system 28.

Chiu does not explicitly teach detecting radiation from directly above the substrate with the particular coil configuration being claimed.

Satou teaches ICP plasma reactors having the claimed coil configurations (see figures 5 and 7).

It would have been obvious to one skilled in the art to use Chiu's detection method with the ICP plasma apparatus taught by Satou because Chiu's method is generally applicable to ICP plasma apparatus (see column 2, lines 34-50; column 4, lines 28-30; and column 7, lines 20-36)

Art Unit: 1763

Claims 8, 9, 24 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chiu and Satou as applied to claims 1 and 21 above and further in view of U.S. Patent 5,691,540 issued to Halle et al. (hereinafter, Halle).

Chiu and Satou do not teach a bifurcated optical cable with one end being connected to the signal source and the other end being connected to the signal detector.

Halle teaches the a plasma process monitoring apparatus that includes a collimating lens and a bifurcated optical cable with end being connected to the signal source and one end being connected to the signal detector.

The above noted limitations that Chiu and Satou fail to teach is an apparatus limitation recited within method claims. Apparatus limitations, unless they affect the process in a manipulative sense, are afforded little weight in process claims¹. Nevertheless, it would be obvious to one skilled in the art to incorporate the apparatus of Halle into the combined teachings of Chiu and Satou because Halle teaches that the assembly is compact and inexpensive and the design provides significant advantages, such as, providing the ability to measure the trench depth of features having a lateral dimension of less than 0.5 µm.

Response to Arguments

Applicant's arguments have been considered but are moot in view of the new grounds of rejection.

¹ In re Tarczy-Hornoch 158 USPQ 141, 150 (CCPA 1968); In re Edwards 128 USPQ 387 (CCPA 1961); Stalego v. Heymes 120 USPQ 473, 478 (CCPA 1959); Ex parte Hart 117 USPQ 193 (PO BdPatApp 1957); In re Freeman 44 USPQ 116 (CCPA 1940); In re Sweeney 72 USPQ 501 CCPA 1947).

Art Unit: 1763

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Allan W. Olsen whose telephone number is 571-272-1441. The examiner can normally be reached on M,W,F 12:30- 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Parviz Hassanzadeh can be reached on 571-272-1435. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Allan Xan

Allan Olsen
Primary Examiner

Art Unit 1763